



pears.vacancy_team



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Allows additional Staff records to be linked to Vacancy records

Columns

Column	Type	Null	Default	Comment
vacancyid	char(20)	NOT NULL		
staffid	char(20)	NOT NULL		

Primary Key

- vacancyid, staffid

Foreign Keys

Constraint	Columns	References	Delete/update action
vacancy	vacancyid	pears.vacancy (vacancyid)	NOT NULL; ON DELETE CASCADE
staff	staffid	pears.staff (staffid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."vacancy_team"
-- Table comment: Allows additional Staff records to be linked to Vacancy
records
-- Statement count: 4

CREATE TABLE "pears"."vacancy_team" (
    "vacancyid"          CHAR(20) NOT NULL
    ,"staffid"           CHAR(20) NOT NULL
    ,PRIMARY KEY ("vacancyid" ASC,"staffid" ASC)
)
GO

COMMENT ON TABLE "pears"."vacancy_team" IS
    'Allows additional Staff records to be linked to Vacancy records'
GO

ALTER TABLE "pears"."vacancy_team"
    ADD NOT NULL FOREIGN KEY "vacancy" ("vacancyid" ASC)
    REFERENCES "pears"."vacancy" ("vacancyid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."vacancy_team"
    ADD NOT NULL FOREIGN KEY "staff" ("staffid" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE CASCADE
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_vacancy_team



Last update: **2026/08/07 19:24**