



pears.VacancyLimit



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Spending Limits for Vacancies

Columns

Column	Type	Null	Default	Comment
VacancyLimitID	char(20)	NOT NULL		
VacancyID	char(20)	NULL		
ShiftTemplateGroupID	char(20)	NULL		
Description	char(20)	NULL		
Target	integer	NULL		
Limit	double	NULL		

Primary Key

- VacancyLimitID

Foreign Keys

Constraint	Columns	References	Delete/update action
vacancy	VacancyID	pears.vacancy (vacancyid)	ON DELETE CASCADE
ShiftTemplateGroup	ShiftTemplateGroupID	pears.ShiftTemplateGroup (ShiftTemplateGroupID)	

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."VacancyLimit"
-- Table comment: Spending Limits for Vacancies
-- Statement count: 4

CREATE TABLE "pears"."VacancyLimit" (
    "VacancyLimitID"          CHAR(20) NOT NULL
    ,"VacancyID"              CHAR(20) NULL
    ,"ShiftTemplateGroupID"    CHAR(20) NULL
    ,"Description"            CHAR(20) NULL
    ,"Target"                 INTEGER NULL
    ,"Limit"                  DOUBLE NULL
    ,PRIMARY KEY ("VacancyLimitID" ASC)
)
GO

COMMENT ON TABLE "pears"."VacancyLimit" IS
    'Spending Limits for Vacancies'
GO

ALTER TABLE "pears"."VacancyLimit"
    ADD FOREIGN KEY "vacancy" ("VacancyID" ASC)
    REFERENCES "pears"."vacancy" ("vacancyid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."VacancyLimit"
    ADD FOREIGN KEY "ShiftTemplateGroup" ("ShiftTemplateGroupID" ASC)
    REFERENCES "pears"."ShiftTemplateGroup" ("ShiftTemplateGroupID")
```



G0

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_vacancylimit

Last update: **2026/08/07 19:24**

