



pears.VacancySearchTemp



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
PK	integer	NOT NULL	autoincrement	
SearchInstanceID	char(20)	NULL		
Personid	char(20)	NULL		
UseThisOne	smallint	NULL	0	

Primary Key

- PK

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
VacancySearchTemp_Person	Index	Personid	
VacancySearchTemp_PersonInstance	Index	Personid, SearchInstanceID	

Triggers

- No triggers found.



Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."VacancySearchTemp"
-- Table comment:
-- Statement count: 3

CREATE GLOBAL TEMPORARY TABLE "pears"."VacancySearchTemp" (
    "PK" INTEGER NOT NULL DEFAULT autoincrement
    , "SearchInstanceID" CHAR(20) NULL
    , "Personid" CHAR(20) NULL
    , "UseThisOne" SMALLINT NULL DEFAULT 0
    , PRIMARY KEY ("PK" ASC)
) NOT TRANSACTIONAL
GO

CREATE INDEX "VacancySearchTemp_Person" ON "pears"."VacancySearchTemp"
( "Personid" )
GO

CREATE INDEX "VacancySearchTemp_PersonInstance" ON
"pears"."VacancySearchTemp"
( "Personid", "SearchInstanceID" )
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_vacancysearchtemp

Last update: **2026/08/07 19:24**

