



pears.WPKImage



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Images (eg icons) Used by Woodpecker Forms.

Columns

Column	Type	Null	Default	Comment
WPKImageID	char(20)	NOT NULL		
Name	char(50)	NOT NULL		
Image	long binary	NULL		
Notes	long varchar	NULL		

Primary Key

- WPKImageID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

Name	Timing	Event
WPKTrackImageChange	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."WPKImage"
-- Table comment: Images (eg icons) Used by Woodpecker Forms.
-- Statement count: 4

CREATE TABLE "pears"."WPKImage" (
    "WPKImageID"          CHAR(20) NOT NULL
    , "Name"              CHAR(50) NOT NULL
    , "Image"             long BINARY NULL
    , "Notes"             long VARCHAR NULL
    , PRIMARY KEY ( "WPKImageID" ASC)
)
GO

COMMENT ON TABLE "pears"."WPKImage" IS
    'Images (eg icons) Used by Woodpecker Forms.'
GO

CREATE TRIGGER "WPKTrackImageChange" after INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."WPKImage"
FOR each statement
BEGIN
    CALL "WPKTrackChange"('I','*')
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."WPKImage"."WPKTrackImageChange" IS
{CREATE TRIGGER WPKTrackImageChange
after INSERT,DELETE,UPDATE ORDER 1 ON
WPKImage
FOR each statement
BEGIN
    CALL WPKTrackChange('I','*')
END
```



}
GO

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_wpkimage

Last update: **2026/08/07 19:24**

