



pears.WPKLayout



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Woodpecker Layout definitions.

Columns

Column	Type	Null	Default	Comment
WPKLayoutID	char(20)	NOT NULL		
WPKFormID	char(50)	NOT NULL		
Name	char(50)	NOT NULL		
Notes	long varchar	NULL		
SortOrder	smallint	NULL		Orders the lists on the outlook bar
CanSelect	char(100)	NULL		Literal boolean or switch controlling availability in outlook bar. If switched off can still be used explicitly or as form default
TopLeftView	char(50)	NULL		Literal string or switch
TopRightView	char(50)	NULL		Literal string or switch
MenuWidth	char(50)	NULL		Literal integer or switch
TopSplitPercent	char(50)	NULL		Literal integer or switch. Default 50%
MiddleSplitPercent	char(50)	NULL		Literal integer or switch. Default 50%
Image	char(50)	NULL		Literal string or switch pointing to the wpkimageid to be used for the group button on the outlook bar
Wizard	tinyint	NULL	0	The layout behaves as a wizard with the layout views as pages
WizardFinishScript	long varchar	NULL		Invoked on clicking Finish in wizard. If not specified defaults to standard save and refresh
ShowMenuImages	char(50)	NULL		Literal boolean or switch enabling images on the outlook bar

Primary Key

- WPKLayoutID, WPKFormID



Foreign Keys

Constraint	Columns	References	Delete/update action
WPKForm	WPKFormID	pears.WPKForm (WPKFormID)	NOT NULL; ON DELETE CASCADE

Referenced By

Table	Constraint	Columns	Referenced columns
pears.WPKLayoutView	Layout	WPKLayoutID, WPKFormID	WPKLayoutID, WPKFormID
pears.WPKLayoutViewStaff	Layout	WPKLayoutID, WPKFormID	WPKLayoutID, WPKFormID

Indexes

- No indexes found.

Triggers

Name	Timing	Event
TrackLayoutChange	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."WPKLayout"
-- Table comment: Woodpecker Layout definitions.
-- Statement count: 16

CREATE TABLE "pears"."WPKLayout" (
  "WPKLayoutID"          CHAR(20) NOT NULL
, "WPKFormID"            CHAR(50) NOT NULL INLINE 50 PREFIX 8
, "Name"                 CHAR(50) NOT NULL
, "Notes"                 long VARCHAR NULL
, "SortOrder"             SMALLINT NULL
, "CanSelect"             CHAR(100) NULL INLINE 100 PREFIX 8
, "TopLeftView"           CHAR(50) NULL
, "TopRightView"          CHAR(50) NULL
, "MenuWidth"             CHAR(50) NULL
, "TopSplitPercent"       CHAR(50) NULL
, "MiddleSplitPercent"    CHAR(50) NULL
, "Image"                 CHAR(50) NULL
, "Wizard"                tinyint NULL DEFAULT 0
, "WizardFinishScript"    long VARCHAR NULL
, "ShowMenuImages"        CHAR(50) NULL
```



```
,PRIMARY KEY ("WPKLayoutID" ASC,"WPKFormID" ASC)
)
GO

COMMENT ON COLUMN "pears"."WPKLayout"."SortOrder" IS
    'Orders the lists on the outlook bar'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."CanSelect" IS
    'Literal boolean or switch controlling availability in outlook bar. If
    switched off can still be used explicitly or as form default'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."TopLeftView" IS
    'Literal string or switch'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."TopRightView" IS
    'Literal string or switch'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."MenuWidth" IS
    'Literal integer or switch'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."TopSplitPercent" IS
    'Literal integer or switch. Default 50%'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."MiddleSplitPercent" IS
    'Literal integer or switch. Default 50%'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."Image" IS
    'Literal string or switch pointing to the wpkimageid to be used for the
    group button on the outlook bar'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."Wizard" IS
```



```
'The layout behaves as a wizard with the layout views as pages'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."WizardFinishScript" IS
    'Invoked on clicking Finish in wizard. If not specified defaults to
    standard save and refresh'
GO

COMMENT ON COLUMN "pears"."WPKLayout"."ShowMenuImages" IS
    'Literal boolean or switch enabling images on the outlook bar'
GO

COMMENT ON TABLE "pears"."WPKLayout" IS
    'Woodpecker Layout definitions.'
GO

ALTER TABLE "pears"."WPKLayout"
    ADD NOT NULL FOREIGN KEY "WPKForm" ("WPKFormID" ASC)
    REFERENCES "pears"."WPKForm" ("WPKFormID")
    ON DELETE CASCADE
GO

CREATE TRIGGER "TrackLayoutChange" after INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."WPKLayout"
REFERENCING NEW AS "lay"
FOR each ROW
BEGIN
    CALL "WPKTrackChange"('F',"lay"."WPKFormID")
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."WPKLayout"."TrackLayoutChange" IS
{CREATE TRIGGER TrackLayoutChange
  after INSERT,DELETE,UPDATE ORDER 1 ON
WPKLayout
REFERENCING NEW AS lay
FOR each ROW
BEGIN
    CALL WPKTrackChange('F',lay.WPKFormID)
END
}
```



G0

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_wpklayout

Last update: **2026/08/07 19:24**

