



pears.WPKLayoutView



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Links Woodpecker Views to Layouts.

Columns

Column	Type	Null	Default	Comment
WPKLayoutID	char(20)	NOT NULL		
WPKViewID	char(50)	NOT NULL		
WPKFormID	char(50)	NOT NULL		
SortOrder	smallint	NULL		Orders the views on the outlook bar. Set to 0 to remove

Primary Key

- WPKLayoutID, WPKViewID, WPKFormID

Foreign Keys

Constraint	Columns	References	Delete/update action
Layout	WPKLayoutID, WPKFormID	pears.WPKLayout (WPKLayoutID, WPKFormID)	NOT NULL; ON DELETE CASCADE
ViewK	WPKViewID, WPKFormID	pears.WPKView (WPKViewID, WPKFormID)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

Name	Timing	Event
TrackLViewChange	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."WPKLayoutView"
-- Table comment: Links Woodpecker Views to Layouts.
-- Statement count: 7

CREATE TABLE "pears"."WPKLayoutView" (
    "WPKLayoutID"          CHAR(20) NOT NULL
    ,"WPKViewID"           CHAR(50) NOT NULL INLINE 50 PREFIX 8
    ,"WPKFormID"           CHAR(50) NOT NULL INLINE 50 PREFIX 8
    ,"SortOrder"           SMALLINT NULL
    ,PRIMARY KEY ("WPKLayoutID" ASC,"WPKViewID" ASC,"WPKFormID" ASC)
)
GO

COMMENT ON COLUMN "pears"."WPKLayoutView"."SortOrder" IS
    'Orders the views on the outlook bar. Set to 0 to remove'
GO

COMMENT ON TABLE "pears"."WPKLayoutView" IS
    'Links Woodpecker Views to Layouts.'
GO

ALTER TABLE "pears"."WPKLayoutView"
    ADD NOT NULL FOREIGN KEY "Layout" ("WPKLayoutID" ASC,"WPKFormID" ASC)
    REFERENCES "pears"."WPKLayout" ("WPKLayoutID","WPKFormID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."WPKLayoutView"
    ADD NOT NULL FOREIGN KEY "ViewK" ("WPKViewID" ASC,"WPKFormID" ASC)
    REFERENCES "pears"."WPKView" ("WPKViewID","WPKFormID")
    ON DELETE CASCADE
GO
```



```
CREATE TRIGGER "TrackLViewChange" after INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."WPKLayoutView"
REFERENCING NEW AS "nlv"
FOR each ROW
BEGIN
    CALL "WPKTrackChange"('F',"nlv"."WPKFormID")
END
GO
```

```
COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."WPKLayoutView"."TrackLViewChange" IS
{CREATE TRIGGER TrackLViewChange
after INSERT,DELETE,UPDATE ORDER 1 ON
WPKLayoutView
REFERENCING NEW AS nlv
FOR each ROW
BEGIN
    CALL WPKTrackChange('F',nlv.WPKFormID)
END
}
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_wpklayoutview

Last update: **2026/08/07 19:24**

