



pears.WPKLayoutViewStaff



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
WPKLayoutID	char(20)	NOT NULL		
WPKViewID	char(50)	NOT NULL		
WPKFormID	char(50)	NOT NULL		
StaffID	char(20)	NOT NULL		
NewSortOrder	smallint	NULL		

Primary Key

- WPKLayoutID, WPKViewID, WPKFormID, StaffID

Foreign Keys

Constraint	Columns	References	Delete/update action
Layout	WPKLayoutID, WPKFormID	pears.WPKLayout (WPKLayoutID, WPKFormID)	NOT NULL; ON DELETE CASCADE
ViewK	WPKViewID, WPKFormID	pears.WPKView (WPKViewID, WPKFormID)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

Name	Timing	Event
TrackLViewStaffChange	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."WPKLayoutViewStaff"
-- Table comment:
-- Statement count: 5

CREATE TABLE "pears"."WPKLayoutViewStaff" (
    "WPKLayoutID"          CHAR(20) NOT NULL
    , "WPKViewID"           CHAR(50) NOT NULL
    , "WPKFormID"           CHAR(50) NOT NULL
    , "StaffID"             CHAR(20) NOT NULL
    , "NewSortOrder"        SMALLINT NULL
    , PRIMARY KEY ("WPKLayoutID" ASC, "WPKViewID" ASC, "WPKFormID" ASC, "StaffID"
ASC)
)
GO

ALTER TABLE "pears"."WPKLayoutViewStaff"
    ADD NOT NULL FOREIGN KEY "Layout" ("WPKLayoutID" ASC, "WPKFormID" ASC)
    REFERENCES "pears"."WPKLayout" ("WPKLayoutID", "WPKFormID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."WPKLayoutViewStaff"
    ADD NOT NULL FOREIGN KEY "ViewK" ("WPKViewID" ASC, "WPKFormID" ASC)
    REFERENCES "pears"."WPKView" ("WPKViewID", "WPKFormID")
    ON DELETE CASCADE
GO

CREATE TRIGGER "TrackLViewStaffChange" after INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."WPKLayoutViewStaff"
REFERENCING NEW AS "nlv"
FOR each ROW
BEGIN
    CALL "WPKTrackChange"('F', "nlv"."WPKFormID")
END
```



GO

```
COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."WPKLayoutViewStaff"."TrackLViewStaffChange" IS
{CREATE TRIGGER TrackLViewStaffChange
  after INSERT,DELETE,UPDATE ORDER 1 ON
WPKLayoutViewStaff
REFERENCING NEW AS nlv
FOR each ROW
BEGIN
  CALL WPKTrackChange('F',nlv.WPKFormID)
END
}
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_wpklayoutviewstaff

Last update: **2026/08/07 19:24**

