



pears.WPKPhoneType



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

View - Adds OwnerType to PhoneType table

Original SQL

```
CREATE VIEW "pears"."WPKPhoneType"
AS SELECT "phonetype"."PhoneTypeID", "phonetype"."Name", (IF
"isnull"("phonetype"."company",0) = 1 THEN 'C' ELSE IF
"isnull"("phonetype"."contact",0) = 1 THEN 'E' ELSE 'P' endif endif) AS
"OwnerType", "phonetype"."Sortorder", "phonetype"."Capabilities", "phonetype"."
DisplayGroup", "phonetype"."DisplayName"
FROM "pears"."phonetype"
GO

COMMENT ON VIEW "pears"."WPKPhoneType" IS
'View - Adds OwnerType to PhoneType table'
GO

COMMENT TO PRESERVE FORMAT ON VIEW "pears"."WPKPhoneType" IS
{CREATE VIEW WPKPhoneType
AS SELECT PhoneTypeID, Name, (IF isnull(company,0) = 1 THEN 'C' ELSE IF
isnull(contact,0) = 1 THEN 'E' ELSE 'P' endif endif) AS
OwnerType, Sortorder, Capabilities, DisplayGroup, DisplayName
FROM phonetype
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:views:pears_wpkphonetype

Last update: 2026/08/07 19:24



