



How to configure IQXCallerNotification application

The follow is a guide to installing and configuring the IQXCallerNotification application to connect to the Synety VOIP system.

1) Add the following script to your IQX database:

```
CREATE FUNCTION "pears"."IncomingCallerIDLookup"(  
    IN @IncomingNumber CHAR(100))  
RETURNS CHAR(100)  
BEGIN  
    DECLARE @Who CHAR(2);  
    DECLARE @WhoID CHAR(20);  
    DECLARE @PersonName CHAR(30);  
    DECLARE @CompanyName CHAR(60);  
  
    SELECT FIRST "phone"."who", "phone"."whoid" INTO @Who, @WhoID FROM  
    "pears"."phone" WHERE "pears"."phone"."numberdigits" = @IncomingNumber  
    ORDER BY "pears"."phone"."whoid";  
  
    CASE  
        WHEN @Who = 'C' THEN  
            SELECT "company"."name" INTO @CompanyName FROM  
            "pears"."company" WHERE "pears"."company"."companyid" = @WhoID;  
            RETURN @CompanyName;  
        WHEN @Who = 'CP' THEN  
            SELECT "person"."name", company.name INTO @PersonName,  
            @CompanyName FROM "pears"."employment" KEY JOIN ("pears"."person" ,  
            pears.company) WHERE "pears"."employment"."employmentid" = @WhoID;  
            RETURN string(@PersonName, ' (', @CompanyName, ')');  
        WHEN @Who = 'P' THEN  
            SELECT "person"."name" INTO @PersonName FROM  
            "pears"."person" WHERE "pears"."person"."personid" = @WhoID;  
            RETURN @PersonName;  
        ELSE  
            RETURN 'Unkown Caller';  
    END CASE;
```



END;

2) Add the following files to either your IQX main program folder or create your own folder and add the files to that.


- 1) IQXCallerNotification.exe
- 2) IQXCallerNotification.exe.config
- 3) Microsoft.AspNet.SignalR.Client.dll
- 4) Newtonsoft.Json.dll
- 5) DDE_run.exe
- 6) iAnywhere.Data.SQLAnywhere.v4.0.dll

3) Create a shortcut to point to the IQXCallerNotification.exe file and add it to your Startup folder.

4) Got to the properties of your shortcut and at the end of the Target file add the following details:

- 1) Database Engine Name
- 2) Username
- 3) Password
- 4) Database Name (Optional)

Example:





Error Reporting

An errors that occur are written to the IQXCallerNotification.err file and it can be found in the same folder as the files above.

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

<https://iqxusers.co.uk/iqxhelp/doku.php?id=sa32-00&rev=1406822278>

Last update: **2017/11/16 21:57**

